SUBJECT INDEX

Acetal, pp. 349–350
Adhesion, pp. 57, 59, 61–62, 65–66, 169–170, 205, 316
Adhesional strength, pp. 168–170
Adhesives, pp. 48, 50, 52, 129, 262–263, 274
Ageing, pp. 292–293, 297, 299–300, 302–303, 305
Aliphatics (see Polyurethane), pp. 47–48
Andrade equation, pp. 347–348
Anisotropic effect, p. 164
Aqueous polyurethane dispersion, pp. 262, 274–277
Aromatic diamines, pp. 143–144, 147, 151
Arrhenius equation, p. 292
Attenuation (see also shielding effectiveness), pp. 57, 62
Azeotropic elimination, p. 203

Cast elastomer, pp. 48, 128
Chain extender, pp. 256, 275
Chain scission, pp. 293, 297
Coatings, pp. 46–53, 57, 61–66, 129, 270
  conductive, pp. 54–56, 59, 63–64
  in-mold, pp. 125, 200, 205–206
Coefficient of friction, pp. 163–166, 168–171, 175, 180, 184
Coefficient of thermal expansion, p. 171
Columbia resin, pp. 21–24
Compressive stress, pp. 163, 169, 171, 180, 184
Copolymers, atactic, p. 329
Copolymers, isotactic, pp. 327, 336, 338, 344
Copolymers, propylene-ethylene, pp. 327–328, 338
Counterflow process, p. 224
Creep data, pp. 346, 349–350, 360–361
Creep strain, pp. 351, 360–361
Curative, pp. 36, 128–129

Deformation, elastic, pp. 164, 170
Deformation, inelastic, pp. 164, 170
Deformation, substrate, pp. 10, 21, 23
Dosing machines, p. 119

EMI shielding, pp. 54, 61, 65
Emulsion stability, p. 158
EP sheeting, p. 85
Erosion, pp. 21–23
ETHACURE 300 Curative, pp. 128, 130, 132, 135, 136, 138, 141
Extensional viscosity, pp. 327–330, 336, 344
Extrudate swell, pp. 327–330, 336, 338, 344

Facias, pp. 105, 108, 249
Frictional force, pp. 169–170
Fringe order, pp. 16–17, 26–27, 29

Heat resistance, pp. 128, 135

Impact deformation, p. 11
Impact wear, p. 10
Impact-induced stresses, p. 12
IMR-systems, pp. 201–202, 252, 261
Internal mixers, pp. 318–321, 323, 325
Isocyanates, pp. 143–144, 147, 225, 256, 263–264, 269–270, 272–273, 314
  aromatic, pp. 47, 219

Langmuir-layers, p. 205

Light stability, pp. 209, 222
Low temperature flex fatigue, pp. 208–209, 219

Mica, pp. 292–293, 297, 309
MOCA [Methylenebis(2-chloroaniline)], pp. 129–130, 132

Natural rubber, pp. 292, 322
Nylon, pp. 163, 165, 171, 175, 180, 184–185, 350–351

Oxidative degradation, pp. 267, 292, 302

Photoelasticity, pp. 10–11, 21–23
Plowing, pp. 21–23, 31, 33–34
Polyamide/Polymethyl Methacrylate blends, pp. 163–165
Polycarbonate, pp. 21–23, 25–27, 30, 32, 50, 111
Polyethylene, pp. 108, 347, 349–351
  chlorosulfonated, p. 80
Polyisocyanates, pp. 264, 271–272
  aliphatic, pp. 49, 262, 267, 270
  biuret, pp. 264–266
Polymers, amorphous, pp. 163–164, 171, 175
Polymers, crystalline, pp. 163–164, 180
Polypropylene, pp. 349–351, 359
Polytetrafluoroethylene, pp. 164, 184
Polyureas, pp. 106, 115
  self-releasing, p. 106
Polyurethane, pp. 16–17, 47–48, 51–53, 106, 115, 135, 151, 209–210, 219, 222, 225, 239–240, 242, 247, 262–263, 270, 274, 277–278, 349–351, 359
Polyurethanes, aliphatic, pp. 46, 48, 50–52
Polyurethane bumpers, p. 105
Polyurethanes, cellular, pp. 208, 239
Polyurethane elastomers, pp. 36, 40, 42, 143–144, 147, 150, 155, 208, 217, 225
Polyurethane films, p. 263
Polyurethane rubber, pp. 10, 12, 22
Polyurethane soling systems, pp. 208–210
Polyurethane surfaces, pp. 312–316
Poly(vinylchloride), pp. 347, 349
PUR-RRIM process, pp. 248–251, 254
PUR-system, pp. 201–204, 207
PVC [see poly(vinylchloride)]

Release agents, aqueous, pp. 200, 202–206
Release agents, external, pp. 200–202
Release agents, internal, pp. 200, 202
Rheological properties, p. 328
Rheometry, p. 293
RIM-process, pp. 40, 105, 108, 117, 123, 125–126, 249

SBR (see Styrene-butadiene rubber)
Shielding effectiveness, pp. 56–57, 59, 61, 62, 65–66
Silane coupling agent, pp. 292–293
Slot antenna, pp. 65–66
Shear viscosity, pp. 327, 329–330, 338, 344
Sheet resistance, pp. 57, 65
Spark camera, pp. 10, 12, 14–15, 21, 24, 28
Stress fringes, dynamic, p. 15
  isochromatic, p. 15
  residual, pp. 12, 28, 31
Stress fringe value, pp. 14, 16, 19, 29
Styrene-butadiene rubber, pp. 292–293

Thermoplastics, pp. 163, 171, 249, 254
Traube-rule, p. 202
Tibological controlling equations, pp. 163, 168, 170–171, 185
Tribological engineering applications, p. 163
Tribological properties, p. 164

Young's modulus, pp. 169, 171, 180, 184, 300

AUTHOR INDEX

Althaus, H., p. 36
Bagaglio, G. C., p. 208
Bahadur, S., pp. 10, 21
Bentley, J. M., p. 208
Braun, H.-J., p. 248
Brown, W. R., p. 128
Chohan, R. K., p. 318
Christfreund, A., p. 208
Debnath, S., p. 292
Doss, N. L., p. 156
Eyerer, P., p. 248
Franck, U., p. 248
Garey, H. E., p. 46
Golden, M. A., p. 163
Graf, H.-J., p. 224
Hamielec, A. E., p. 327
Hoback, J. T., p. 54
Huttner, M., p. 248
Ikladious, N. E., p. 156
Khastgir, D., p. 292
Kleimann, H., p. 143
Lee, M. C. H., p. 163
Lüdke, H., p. 238
Ludwig, H.-J., p. 248
McGinley, C., p. 70
Miller, E., p. 346
Mohsen, R. M., 156
Naim, M., pp. 10, 21
Nalepa, C. J., p. 128
Paterson, D. A., p. 70
Reilly, J. J., p. 54
Schaper, H., p. 105
Schmelzer, H. G., p. 262
Schmidt, A., p. 36
Schmitz, W., p. 311
Schröder, W., p. 200
Schwab, J., p. 208
Simon, J. M., p. 128
Sterrett, T., p. 346
Tang, Y., 327
Tzoganakis, C., p. 327
Vlachopoulos, J., p. 327
Völker, Th., p. 36
Willwerth, L., p. 46
Wurster, Th., p. 248